Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	(establish\$4 or mak\$4 or generat\$4 or produc\$4 or configur\$4) same multicast near1(tree or hirac\$6) same (database or file42)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:11
S2	17	(establish\$4 or mak\$4 or generat\$4 or produc\$4 or configur\$4) same multicast near1(tree or hirac\$6) same (database or file\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:13
S3	20	(establish\$4 or mak\$4 or generat\$4 or produc\$4 or configur\$4 or organiz\$4 or creat\$4 or form\$4) same multicast near1(tree or hierarch\$6) same (database or file\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:23
S4	26	(establish\$4 or mak\$4 or generat\$4 or produc\$4 or configur\$4 or organiz\$4 or creat\$4 or form\$4) same multicast near1(tree or hierarch\$6 or level\$2 or sublevel\$2) same (database or file\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:58
S5	26	S4 and (trac\$4 or follow\$4 or track\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:42
S6	22	S5 and (independent or separate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/04 12:48
S7	24	S5 and (independent\$4 or separate\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:44
S8		(("6331983") or ("20020150094")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 08:06

S9	. 3	S8 and (trac\$4 or follow\$4 or track\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:42
S10	2	(establish\$4 or mak\$4 or generat\$4 or produc\$4 or configur\$4 or organiz\$4 or creat\$4 or form\$3) and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 08:13
S11	2	S10 and (independent\$4 or separate\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:47
S12	39	("4740954" "4864559" "5634011" "5684800" "5818838").PN. OR ("6331983"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/04 12:51
S13	26	(establish\$4 or mak\$4 or generat\$4 or produc\$4 or configur\$4 or organiz\$4 or creat\$4 or form\$4) same multicast near1(tree or hierarch\$6 or level\$2 or sublevel\$2) same (database or file\$2 or repositor\$3 or cach\$4 or stor\$4) same (device\$2 or host\$2 or client\$2 or object\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:49
S14	31	((establish\$4 or mak\$4 or generat\$4 or produc\$4 or configur\$4 or organiz\$4 or creat\$4 or form\$3) same multicast\$3 near3 (tree\$2 or hierarch\$6 or level\$2 or sublevel\$2) same (database or file\$2 or repositor\$3 or cach\$4 or stor\$4) same (device\$2 or host\$2 or client\$2 or object\$2)) and ((trac\$4 or trail\$4 or track\$4) same (information or data or metadata or flag\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 07:33

S15	31	((establish\$4 or mak\$4 or generat\$4 or produc\$4 or configur\$4 or organiz\$4 or creat\$4 or form\$3) same multicast\$3 near3 (tree\$2 or hierarch\$6 or level\$2 or sublevel\$2) same (database or file\$2 or repositor\$3 or cach\$4 or stor\$4) same (device\$2 or host\$2 or client\$2 or object\$2)) and ((trac\$4 or trail\$4 or track\$4) same (information or data or metadata or flag\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 07:33
S16	31	S15 and (locat\$4 or find\$4 or retriev\$4 or obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 08:06
S17	4	(("6331983") or ("20020150094")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 08:06
S18	2	S17 and (locat\$4 or find\$4 or retriev\$4 or obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 08:06
S19	2	(establish\$4 or mak\$4 or generat\$4 or produc\$4 or configur\$4 or organiz\$4 or creat\$4 or form\$3) and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 09:22
S20	2	S19 and (independ\$4 or separat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 09:26
S21	31	S16 and (independ\$4 or separat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 10:43

S22	13	S16 and (protocol\$2 same (independ\$4 or separat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 10:02
S23	0	S22 and (PIM or DMRP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 10:04
S24	0	S22 and (PIM or DVMRP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 10:05
S25	11	S22 and (PIM or DVMRP OR SNMP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 10:06
S26	31	S16 and (independ\$4 or depend\$4 or separat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 10:51
S27	2	S19 and (independ\$4 or depend\$4 or separat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖN	2005/04/05 10:46
S28	28	S26 and (unicast\$3 or peer\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 12:45
S29	2	S27 and (unicast\$3 or peer\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 12:34

\$30	4	(("6331983") or ("20020150094")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/04/05 12:30
531	2	S30 and (locat\$4 or find\$4 or retriev\$4 or obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 12:30
S32	2	(establish\$4 or mak\$4 or generat\$4 or produc\$4 or configur\$4 or organiz\$4 or creat\$4 or form\$3) and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/04/05 12:30
S33	2	S32 and (independ\$4 or depend\$4 or separat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 12:30
S34	2	S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 12:33
S35	2	S33 and (unicast\$3 or peer\$8) and rout\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 06:47
S36	31	((establish\$4 or mak\$4 or generat\$4 or produc\$4 or configur\$4 or organiz\$4 or creat\$4 or form\$3) same multicast\$3 near3 (tree\$2 or hierarch\$6 or level\$2 or sublevel\$2) same (database or file\$2 or repositor\$3 or cach\$4 or stor\$4) same (device\$2 or host\$2 or client\$2 or object\$2)) and ((trac\$4 or trail\$4 or track\$4) same (information or data or metadata or flag\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 12:45

S37	31	S36 and (locat\$4 or find\$4 or retriev\$4 or obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 12:45
S38	31	S37 and (independ\$4 or depend\$4 or separat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 12:45
S39	28	S38 and (unicast\$3 or peer\$8) and rout\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:30
S40	0	S39 and MIB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:50
S41	28	S39 and (select\$4 or choos\$4 or obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON [.]	2005/04/06 06:36
S42	10	S41 and SNMP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:23
S43	31	((establish\$4 or mak\$4 or generat\$4 or produc\$4 or configur\$4 or organiz\$4 or creat\$4 or form\$3) same multicast\$3 near3 (tree\$2 or hierarch\$6 or level\$2 or sublevel\$2) same (database or file\$2 or repositor\$3 or cach\$4 or stor\$4) same (device\$2 or host\$2 or client\$2 or object\$2)) and ((trac\$4 or trail\$4 or track\$4) same (information or data or metadata or flag\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/06 06:36

S44	31	S43 and (locat\$4 or find\$4 or retriev\$4 or obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 06:36
S45	31	S44 and (independ\$4 or depend\$4 or separat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 06:36
S46	28	S45 and (unicast\$3 or peer\$8) and rout\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/04/06 06:36
S47	28	S46 and (select\$4 or choos\$4 or obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 06:36
S48	4	(("6331983") or ("20020150094")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 06:47
S49	2	S48 and (locat\$4 or find\$4 or retriev\$4 or obtain\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 06:47
S50	2	(establish\$4 or mak\$4 or generat\$4 or produc\$4 or configur\$4 or organiz\$4 or creat\$4 or form\$3) and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/06 08:48
S51	2	S50 and (independ\$4 or depend\$4 or separat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 06:47

S52	2	S51 and (unicast\$3 or peer\$8) and rout\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 08:44
S54	1	S52 and SNMP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 07:36
S55	1	S54 and differen\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/04/06 07:46
S56	28	S47 and differen\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 07:38
S57	1	S54 and (differen\$4 same protocol\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 07:46
S58	1	S57 and (database\$2 or file\$2 or director\$3 or table\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 08:45